

This document is a declaration of the substances within the manufacturer listed item.

Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

## RoHS Directive 2011/65/EU and any future amendments, addendum and decisions

12 October, 2020

Issue Date:

CI	1 1	T C 42
Supp.	ner	Information

Company Name Bel Power Solutions	Contact Name Jennifer Chen Environmental compliance Sr.Engineer	<u>Phone – Contact</u> +86 755 2988 5888 (Ext. 5769)	Email – Contact Jennifer.chen@psbel.com
Company Address 2390 Walsh Avenue	Authorized Representative Martina Supakova	<u>Phone – Representative</u> +421 905 407 316	Email – Representative Martina.Supakova@psbel.com
Santa Clara,	Product Environmental and Safety Compliance Manager		1

Family Series	Part Number	Description	Cert. revision
SFP650,450	See annex I	POWER SUPPLY	1

1 of 4 UAF.01856\_AD



RoHS Material Composition Declaration	
<b>RoHS Definition per Directive 2011/65/EU and 2015/863</b> : Quantity limit of 0.1% b Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBB), Pophthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobuty in homogeneous material for Cadmium (Cd)	olybrominated Diphenyl Ethers (PBDE), Bis(2-ethylhexyl)
Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive sinformation is true and correct to the best of its knowledge and belief, as of the date that Supplier compinformation provided by others in completing this form, and that Supplier may not have independently independently verified information provided by others, Supplier agrees that, at a minimum, its supplier certifications are at least as comprehensive as the certification in this paragraph.	pletes this form. Customer acknowledges that Supplier may have relied on verified such information. However, in situations where Supplier has not
<ul> <li>□ 1 - Item does not contain RoHS restricted substances per the definition above</li> <li>□ 2 - Item contains RoHS restricted substances above the limits per the definition at limits per the definition</li></ul>	19 per Directive 2015/863 Directive 2015/863 ctive 2015/863 Directive
23 5 - Item does not contain Rolls restricted substances per the definition above, ex	cept for selected exemptions identified below

2 of 4

UAF.01856\_AD



<b>Exemptions:</b> If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and select all applicable exemptions.
Exemption List from Directive 2011/65/EU - Annex III
$\Box$ 6(a)-I Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight ( $6(a)$ expires 30 June 2019)
$\Box$ 6(b)-I Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling (6(b) expires 30 June 2019)
$\Box$ 6(b)-II Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight (6(b) expires 30 June 2019) $\boxtimes$ 6(c) Lead as an alloying element in copper containing up to 4% lead by weight.
⊠ 7(a) Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)
⊠ 7(c)-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
□ 7(c)-II Lead in dielectric ceramic in capacitors for a voltage of 125 V AC or 250 V DC or higher.
⊠ 8(b)-I Cadmium and its compounds in electrical contacts used in: circuit breakers; thermal sensing controls; thermal motor protectors (excluding hermetic thermal motor protectors); AC switches rated at: • 6 A and more at 250 V AC and more; or • 12 A and more at 125 V AC and more; DC switches rated at 20 A and more at 18 V DC and more; and switches for use at vo ltage supply frequency ≥ 200 Hz
□ 15 Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages.
□ 34 Lead in cermet-based trimmer potentiometer elements
☐ 37 Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body
If other exemptions are required to be reported please enter below:
Declaration Signature
Supplier Signature / Ly, o bona 12 October, 2020

3 of 4

UAF.01856\_AD



## Annex I

Bel Power Solution Part Number	
SFP450-12BG	
SFP450-S101G	
SFP650-12BG	
SFP650-12BS101G	
SFP650-S102G	

4 of 4 UAF.01856\_AD